$( \bullet )$ 

#### Page 1 Of 4

#### **Safety Data Sheet**

#### Active 500 D-Greazer 500 oil and grease removal

#### 1.Identification of the substance or mixture and of the supplier

Product Name :	Active 500 D-Greazer 500 oil and grease removal
Usage :	oil and grease removal (Concentrate formula)
Manufacturer :	Flowzep Co.,Ltd , 190/60 Moo 8 Soi Suksawat 84 T.Naikhlongbangplakod
	A.Prsamutjedee Samutprakarn 10290 ,Thailand , Tel. 02-406-0768 (Auto)
Trader :	Longbow (Thailand) Co.,ltd. 1000/42 PB tower ,Floor 11 Sukhum 71 road
	Khwaeng Khlong Tan Nuea, Khet Watthana, Krung Thep Maha Nakhon 10110
Tel :	02-391-7581-3
Website :	www.longbowthai.co.th

#### 2.Hazards identification

GHS Classification :	Acute toxicity (Oral) Category 5, Skin corrosion / irritation Category 2	
	Serious eye damage / eye irritation Category 2A	
	Chronic hazards to the aquatic environment Category 3	
Symbol :		
Signal word :	Warning	
Hazard Statements :	H303 May be harmful if swallowed, H315 Causes skin irritation.	
	H319 Causes serious eye irritation,H412 Harmful to aquatic life with long lasting effects	

#### **3.**Composition / Information on Ingredients

ชื่อของสารประกอบ	CAS Number	Weight %
Linear alkylbenzene sulfonate, sodium salt	25155-30-0	14.00
Sodium Lauryl Ether Sulfate	9004-82-4	10.00
Alkylpolyglycoside	68515-73-1	2.50

#### 4.First Aid Measures

If inhaled : Remove victim to fresh air. Get medical attention, if symptoms persist.

In case of skin contact : Flush skin with large amounts of water.

In case of eye contact : Flush eyes with water at least 10 minutes. Get medical attention if

eye irritation develops or persists.

If swallowed : Drink 8 ounces of clear water. Get medical attention.

## Safety Data Sheet

## Active 500 D-Greazer 500 oil and grease removal

#### 5.Fire-Fighting Measures

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Hazardous combustion products : No hazardous combustion products are known

Special protective equipment for firefighters : Self-contained breathing apparatus and full protective clothing

should be worn when fighting chemical fires.

6.Accidental Release Measures

Personal precautions, protective equipment and emergency procedures : Use personal protection recommended.

Cover with inert, absorbent material and remove to disposal.container

#### 7.Handling and Storage

Conditions for safe storage : Store at controlled normal temperature.

### 8.Exposure Controls / Personal Protection

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : In an industrial work environment, if a splash is likely, chemical goggles may be needed. Prolonged skin contact may require protective gloves. For consumer use, no unusual precautions are necessary. Hygiene measures : In an industrial work environment, avoid eye and prolonged skin contact.

#### 9. Physical and Chemical Properties

Appearance	: Liquid , Orange color
pH	: 6 - 8
Flash point	: N/A
Density at 20 °C	: 1.05 [Approximate]

## Safety Data Sheet

## Active 500 D-Greazer 500 oil and grease removal

10. Stability and Reactivity

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : None known.

**11.Toxicological Information** 

**Toxicological Information :** 

Acute toxicity (Oral) Category 5 , Skin corrosion / irritation Category 2  $\,$ 

Serious eye damage / eye irritation Category 2A

Chronic hazards to the aquatic environment Category 3

#### 12. Ecological Information

Toxic to aquatic and terrestrial plants and animals. Do not release into environment.

### 13.Disposal Considerations

Check with all applicable local, regional, and national laws and regulations.

#### 14.Transport Information

Logistic	: To follow handling work instruction and accordance with the law.
Transport	: No specifications.
Sea Freight	: No specifications.
Air Freight	: No specifications.

## Safety Data Sheet

## Active 500 D-Greazer 500 oil and grease removal

#### **15.Regulatory Information**

OSHA Hazards : Toxic by ingestion, Moderate skin irritant, Severe eye irritant

TSCA list : Not relevant

Clean Air Act : This product does not contain any hazardous air pollutants (HAP), as defined by

the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed

under the U.S. Clean Air ActSection 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489).Clean Water Act : This product does not contain any

Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A. and any

Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

#### 16.Other Information

- The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use.

- Users should make their own investigations to determine the suitability of the information for their particular purposes.